


4. Configure the command with the following settings

- Workflow receives current: **files or folders**
- In: **Finder**
- Image (Optional): [I used this image](#)
- Pass Input: **as arguments**
- Command: **open -n -b "com.microsoft.VSCode" --args "\$1"**



5. Save your new quick action and name it something like **Open with Visual Studio Code**

6. Open Finder

7. Choose a folder you want to open with Visual Studio Code

8. Double-tap or right-click depending on your input device

9. Choose **Open with Visual Studio Code**

10. Tada!

Visual Studio Code and opening a file by file type



Visual Studio Code and open the program that is associated with the file's extension. This article covers both Mac and Windows.

Mac

1. CMD-Shift-P
2. Tasks: Configure Task
3. Add this JSON to the task

```
{  
  "version": "2.0.0",  
  "tasks": [  
    {  
      "label": "Open file",
```

```
        "type": "shell",
        "command": "open",
        "args": ["${file}"]
    }
]
}
```

Windows

1. Ctrl-Shift-P or F1
2. Tasks: Configure Task
3. Add this JSON to the task file

```
{
  "version": "2.0.0",
  "tasks": [
    {
      "label": "Open file",
      "type": "shell",
      "command": "explorer.exe",
      "args": ["${file}"]
    }
  ]
}
```

References

[How to view my HTML code in the browser with Visual Studio Code?](#)